



**Hazard statements**

H315 Causes skin irritation

**Precautionary statements**

P264 Wash hands thoroughly after handling.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P362 + P364 Take off contaminated clothing and wash before reuse.

**Further hazard statements**

EUH208 "Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction."

**Additional information for labelling**

EUH210 Safety data sheet available on request.

**2.3 Other hazards**

The results of the PBT and vPvB assessment can be found in subsection 12.5.

**SECTION 3 Composition/information on ingredients**

**3.1 Substances**

This product is a mixture.

**3.2 Mixtures**

Aqueous plastic dispersion with additives.

**Composition / information on ingredients**

| EC-No.<br>CAS-No.<br>INDEX-No.         | REACH-No.<br>Designation<br>Classification  | Portion |
|--|---|---------|
| 252-104-2<br>34590-94-8                | 01-2119450011-60<br><b>(2-methoxymethylethoxy)propanol</b>  | 8,00%   |
| 203-542-8<br>108-01-0<br>603-047-00-0  | 01-2119492298-24-XXXX<br><b>2-dimethylaminoethanol</b><br>Flam. Liq. 3, H226; Acute Tox. 4, H302; Acute Tox. 4, H312;<br>Acute Tox. 3, H331; Skin Corr. 1B, H314  | 0,66%   |
| 220-120-9<br>2634-33-5<br>613-088-00-6 | <b>1,2-benzisothiazol-3(2H)-one</b><br>Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Dam. 1, H318;<br>Skin Sens. 1, H317; Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 2; H411<br>Specific concentration limit (SCL):<br>Skin Sens. 1; H317 >= 0,05% | <0,01%  |

|                            |   |          |
|----------------------------|---|----------|
| 55965-84-9<br>613-167-00-5 | <b>Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)</b><br>Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330<br>Skin Corr. 1B; H314, Skin Irrit.2, H315; Eye Dam. 1, H318<br>Eye Irrit. 2, H319; Skin Sens. 1, H317;<br>Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=10)<br>Specific concentration limit (SCL):<br>Skin Corr. 1B; H314 $\geq 0,6\%$ / Skin Irrit.2; H315<br>$0,06\% < C < 0,6\%$ / Eye Irrit. 2, H319 $0,06\% < C < 0,6\%$<br>Skin Sens. 1; H317 $\geq 0,0015\%$ | <0,0015% |
|----------------------------|---|----------|

The wording of the classification codes is in section 16.

## **SECTION 4 First aid measures**

### **4.1 Description of first aid measures**

|                       |  |
|-----------------------|--|
| <b>General advice</b> | Consult a physician. Show this safety data sheet to the doctor in attendance.  |
| <b>If inhaled</b>     | Remove the person to fresh air, in case of indisposition obtain medical advice.  |
| <b>Skin contact</b>   | Take off contaminated clothing. Wash off affected skin with plenty of water using soap in case of indisposition obtain medical advice.               |
| <b>Eye contact</b>    | Spreading the eyelids, rinse thoroughly under running water, see an eye specialist.  |
| <b>If swallowed</b>   | Never fuse anything through the mouth of an unconscious person.<br>Do not induce vomiting if swallowed - see a physician.<br>Rinse mouth with water. |

### **4.2 Most important symptoms and effects, both acute and delayed**

No data available.

### **4.3 Indication of any immediate medical attention and special treatment needed**

No data available.

## **SECTION 5 Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

Water spray, CO<sub>2</sub>, dry chemical, foam.

**Unsuitable extinguishing media**

Water jet.

**5.2 Special hazards arising from the substance or mixture**

Thermal decomposition to carbon monoxide, carbon dioxide, hydrogen cyanide, gases/ vapours, toxic, silicon oxides, formaldehyde

**5.3 Advice for firefighters**

Tightly closing fireproof clothing and oxygen apparatus.

**SECTION 6 Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

See section 8 "Exposures controls/personal protection".

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not allow the product to enter waters. Discharge into the environment must be avoided.

**6.3 Methods and material for containment and cleaning up**

Pick up with an inert absorbable material and dispose according to local regulations, unless otherwise usable.

**6.4 Reference to other sections**

For disposal, see section 13.

**SECTION 7 Handling and storage**

**7.1 Precautions for safe handling**

Keep container cool and tightly closed, take care of sufficient ventilation.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep away container from strong oxidising agents. Cool endangered containers with sprinkling water. Keep away from frost.

**7.3 Specific end uses**

No data available.

## SECTION 8

### Exposure controls/personal protection

#### 8.1 Control parameters

##### Components with workplace control parameters (2000/39/EC)

|  |                                   |        |
|--|-----------------------------------|--------|
| <b>(2-Methoxymethylethoxy)propanol</b> |                                   |        |
| EG-Nr. 252-104-2 / CAS-Nr. 34590-94-8  |                                   |        |
| TWA:                                   | 308 mg/m <sup>3</sup>             | 50 ppm |
| STEL:                                  | -                                 | -      |
| Remark: Skin                           | Can be absorbed through the skin. |        |

##### Components with workplace control parameters

##### (TRGS 900 Germany)

|  |                       |               |
|--|-----------------------|---------------|
| <b>(2-Methoxymethylethoxy)propanol</b> |                       |               |
| EG-Nr. 252-104-2 / CAS-Nr. 34590-94-8  |                       |               |
| AGW (aerosols, vapour)                 | 310 mg/m <sup>3</sup> | 50 ppm        |
| Peak limit                             | 1 (I)                 |               |
| Remarks                                |                       | DFG, EU, (11) |

##### Components with biological limit values (TRGS 903 Germany)

none

##### DNEL:

|  |                        |
|--|------------------------|
| <b>(2-Methoxymethylethoxy)propanol</b>             |                        |
| EG-Nr. 252-104-2 / CAS-Nr. 34590-94-8              |                        |
| Worker - long term - dermal, systemic effect       | 65 mg/kg               |
| Worker - long term - inhalative, systemic effect   | 310 mg/m <sup>3</sup>  |
| Consumer - long term - dermal, systemic effect     | 15 mg/kg               |
| Consumer - long term - inhalative, systemic effect | 37,2 mg/m <sup>3</sup> |
| Consumer - long term - oral, systemic effect       | 1,67 mg/kg             |

##### 2-dimethylaminoethanol

|  |                       |
|--|-----------------------|
| EC-No. 203-542-8 / CAS-No. 108-01-0 / INDEX-No. 603-047-00-0 |                       |
| Worker - long term - dermal, systemic effect                 | 1,04 mg/kg            |
| Worker - long term - inhalative, systemic effect             | 7,4 mg/m <sup>3</sup> |

##### PNEC:

|  |            |
|--|------------|
| <b>(2-Methoxymethylethoxy)propanol</b> |            |
| EG-Nr. 252-104-2 / CAS-Nr. 34590-94-8  |            |
| Aquatic, freshwater                    | 19 mg/l    |
| Aquatic, marine water                  | 1,9 mg/l   |
| Periodic release                       | 190 mg/l   |
| Sewage treatment plant (STP)           | 4168 mg/l  |
| Sediment, freshwater                   | 70,2 mg/l  |
| Sediment, marine water                 | 7,02 mg/kg |
| Soil                                   | 2,74 mg/kg |

| 2-dimethylaminoethanol                                       |              |
|--|--------------|
| EC-No. 203-542-8 / CAS-No. 108-01-0 / INDEX-No. 603-047-00-0 |              |
| Aquatic, freshwater  | 0,0661 mg/L  |
| Aquatic, marine water  | 0,00661 mg/L |
| Periodic release   | 0,0661 mg/L  |
| Sediment, freshwater   | 0,0529 mg/kg |
| Soil   | 0,0177 mg/kg |
| Sewage treatment plant (STP)                                 | 10 mg/L      |

## 8.2 Exposure controls

### Appropriate engineering controls

Avoid contact with the skin and the eyes. When using do not eat, drink or smoke; preventive skin protection.

### Personal protective equipment

**Respiratory protection** In case of exceeding the permitted exposure limit in closed rooms use a self-contained breathing apparatus.  
 Recommended filter type: A

**Eye protection** Tightly sealed goggles recommended.  
 Wear face protection if there is a risk of splashing.

**Skin protection** Wear suitable protective gloves. Observe the information provided by the manufacturer in regard to permeability and breakthrough time as well as the special conditions at the workplace (mechanical stress, contact duration). Protective gloves should be replaced at the first signs of wear.

**Material:** Butyl rubber  
**Breakthrough time:** >= 480min  
**Glove thickness:** 0,5mm

**Body Protection** Solvent-resistant protective clothing made of rubber or plastic is recommended.  
 Wear a rubber apron if there is a risk of splashing.

## 8.3 Environmental exposure controls

Prevent further leakage or spillage if safe to do so. Do not allow the product to enter waters. Discharge into the environment must be avoided.

## SECTION 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance:

|                               |                         |
|-------------------------------|-------------------------|
| Aggregate state:              | liquid                  |
| Colour:                       | milky white             |
| Odour:                        | slight individual odour |
| Melting point/freezing point: | Not available.          |

|  |             |                            |           |
|--|-------------|----------------------------|-----------|
| Initial boiling point/boiling range:     |             | 100 °C                     |           |
| Flash point:                             |             | > 100 °C                   |           |
| Flammability:                            |             | Not applicable.            |           |
| Ignition temperature:                    |             | Not applicable.            |           |
| Auto flammability:                       |             | Not applicable.            |           |
| Oxidising properties:                    |             | Not applicable.            |           |
| Explosive properties:                    |             | Not applicable.            |           |
| Explosion limits:                        | lower       | Not applicable.            |           |
|  | upper       | Not applicable.            |           |
| Water solubility:                        | (T = 20 °C) | Dispersible in each ratio. |           |
| Vapour pressure:                         | (T = 20 °C) | Not available.             |           |
| Vapour density (air = 1):                |             | Not available.             |           |
| Partition coefficient (n-octanol/water): |             | Not available.             |           |
| Solids content                           |             | 32 - 38 %                  |           |
| Density:                                 | (T = 20 °C) | 1.05 g/cm <sup>3</sup>     |           |
| pH value:                                | (T = 20 °C) | 7.5 - 8.5                  |           |
| Viscosity (kin., 4 mm DIN flow cup):     | (T = 20 °C) | 15 - 20 s                  | CMR-468   |
| Viscosity (kin., 4 mm DIN flow cup):     | (T = 20 °C) | 20 - 25 s                  | CMR-468.M |
| Separation of solvent:                   |             | Not applicable.            |           |
| Volatiles/VOC:                           |             | < 8 %                      |           |
| Evaporation rate:                        |             | Not available.             |           |

## 9.2 Other information

No data available.

## **SECTION 10 Stability and reactivity**

### 10.1 Reactivity

No data available.

### 10.2 Chemical stability

(2-Methoxymethylethoxy)propanol and 2-dimethylaminoethanol are released during application and drying.

### 10.3 Possibility of hazardous reactions

No data available.

### 10.4 Conditions to avoid

Frost, heat

### 10.5 Incompatible materials

Strong oxidizing agents, strong acids, strong reducing agents

### 10.6 Hazardous decomposition products

In case of fire only, see section 5.2.

## SECTION 11 Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Mixture

No data available.

##### Components

|  |              |
|--|--------------|
| <b>(2-Methoxymethylethoxy)propanol</b> |              |
| EG-Nr. 252-104-2 / CAS-Nr. 34590-94-8  |              |
| oral, rat, LD50                        | > 4000 mg/kg |

|  |            |
|--|------------|
| <b>2-dimethylaminoethanol</b>                                |            |
| EC-No. 203-542-8 / CAS-No. 108-01-0 / INDEX-No. 603-047-00-0 |            |
| oral, rat, LD50  | 1183 mg/kg |
| dermal, rabbit, LD50   | 1219 mg/kg |
| inhalative, rabbit, LC50<br>(vapour 4h)                      | 6,1 mg/L   |

|   |            |
|---|------------|
| <b>1,2-benzisothiazol-3(2H)-one</b>                           |            |
| EC-No. 220-120-9 / CAS-No. 2634-33-5 / Index-No. 613-088-00-6 |            |
| oral, rat, LD50   | 1193 mg/kg |
| dermal, rat, LD50   | 4115 mg/kg |

|  |           |
|--|-----------|
| <b>Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)</b> |           |
| CAS-No. 55965-84-9 / Index-No. 613-167-00-5  |           |
| oral, rat, LD50  | 66 mg/kg  |
| dermal, rat, LD50  | 141 mg/kg |
| inhalativ, LC50<br>(dust and mist, 4h)   | 0,17 mg/l |

#### Skin corrosion/irritation

##### Mixture

Causes skin irritation

#### Serious eye damage/irritation

##### Mixture

No data available.

##### Components

No data available.

#### Respiratory or skin sensitisation

##### Mixture

Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.



**Germ cell mutagenicity**

**Mixture**

No data available.

**Components**

No data available.

**Carcinogenicity**

**Mixture**

No data available.

**Components**

**2-dimethylaminoethanol**

2-dimethylaminoethanol can form nitrosamines with nitrosating agents (e.g. nitrites, nitrogen oxides) under special conditions. Nitrosamines have been shown to be carcinogenic in animal experiments.

**Reproductive toxicity**

**Mixture**

No data available.

**Components**

No data available.

**Specific Target Organ Toxicity - single exposure**

**Mixture**

No data available.

**Components**

No data available.

**Specific Target Organ Toxicity - repeated exposure**

**Mixture**

No data available.

**Components**

No data available.

**Aspiration hazard**

**Mixture**

No data available.

**Components**

No data available.

**Other information**

No data available.

**11.2 Additional information**

No data available.

## **SECTION 12 Ecological information**

### **12.1 Toxicity**

#### **(2-Methoxymethylethoxy)propanol**

Daphnia toxicity, Daphnia magna (Big water flea), NOEC: >= 0,5 mg/l (22d)

#### **2-dimethylaminoethanol**

Fish toxicity, Leuciscus idus (Ide), LC50: 146,6 mg/l (96h)  
 Daphnia toxicity, Daphnia magna (Big water flea); EC50: 98,4 mg/l (48h)  
 Algae toxicity, Scenedesmus subspicatus, EC50: 66,1 mg/l (72h)  
 Bacteria toxicity, activated sludge, municipal, EC20: >1000 mg/l (30min)

#### **1,2-benzisothiazol-3(2H)-one**

Fish toxicity, LC50, Oncorhynchus mykiss (Rainbow trout): 2,18 mg/l (96h)  
 Daphnia toxicity, EC50, Daphnia magna: 2,94 mg/l (48h)  
 Algae toxicity, ErC50, Pseudokirchneriella subcapitata: 0,11 mg/l (72h)  
 NOEC (Algae), Skeletonema costatum: 0,027 mg/l (72h)

#### **Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

Fish toxicity, LC50, Oncorhynchus mykiss (Rainbow trout): 0,188 mg/l (96h)  
 Daphnia toxicity, EC50, Daphnia magna: 0,126 mg/l (48h)  
 Algae toxicity, EC50, Selenastrum capricornutum: 0,027 mg/l (72h)  
 NOEC (Fish), Oncorhynchus mykiss (Rainbow trout): 0,098 mg/l (28d)  
 NOEC (Fish), Daphnia magna (Big water flea): 0,004 mg/l (21d)  
 NOEC (Algae), Pseudokirchneriella subcapitata: 0,0012 mg/l (72h)  
 Bacteria toxicity, EC50: 7,92 mg/l (3h)

### **12.2 Persistence and degradability**

#### **(2-Methoxymethylethoxy)propanol**

Result: Readily biodegradable (aerobic)  
 OECD Test Guideline 301F

#### **2-dimethylaminoethanol**

readily biodegradable (according to OECD criteria).

#### **1,2-benzisothiazol-3(2H)-one**

Readily biodegradable

#### **Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

Readily biodegradable

### **12.3 Bioaccumulative potential**

#### **(2-Methoxymethylethoxy)propanol**

Partition coefficient: n-octanol / water (log Pow): 0,004

### **12.4 Mobility in soil**

No data available.

### **12.5 Results of PBT and vPvB assessment**

According to the available statements the criteria are not fulfilled for the classification as a PBT or vPvB.

#### 12.6 Other adverse effects

Spilling product harms waters by high consumption of oxygen and general pollution impact.

### **SECTION 13 Disposal considerations**

#### 13.1 Waste treatment methods

No dangerous waste according to the European waste catalogue (2008/98/EG). If recycling is not possible, wastes must be eliminated according to the provisions of the local authorities.

Do not dispose by the sewage.

#### **List of proposed waste codes/waste designations in accordance with EWC**

080111\* Waste paint and varnish containing organic solvents or other dangerous substances

\*Hazardous waste according to Directive 2008/98/EC (waste framework directive).

#### **Appropriate disposal / Package**

##### **Recommendation**

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

### **SECTION 14 Transport information**

#### 14.1 UN number

Not applicable.

#### 14.2 Proper shipping name

**ADR/RID / IMDG / IATA**

Not applicable.

#### 14.3 Transport hazard class(es)

Not applicable.

#### 14.4 Packing group

Not applicable.

#### 14.5 Environmental hazards

##### Labelling of environmentally dangerous substances

|                       |                 |
|-----------------------|-----------------|
| ADR/RID / IMDG / IATA | Not applicable. |
| Marine Pollutant      | Not applicable. |

#### 14.6 Special precautions for user

Not applicable.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable.

### SECTION 15 Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Provisions of the EU

Denomination in Annex I of the Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

Not applicable.

Regulation (EU) No 528/2012 for the marketing of biocidal products

Not applicable.

Regulation (EC) No 648/2004 (Regulation concerning detergents)

Not applicable.

Directive 1999/13/EC for the limitation of emissions of volatile organic compounds

Not applicable.

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding

Not applicable.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Not applicable.

Directive 94/33/EC on the protection of young people at work

Not applicable.

##### German regulations

Technical instructions on maintaining air purity

|           |                 |
|-----------|-----------------|
| (TA Luft) | Not applicable. |
|-----------|-----------------|

|                    |                                 |
|--------------------|---------------------------------|
| Water hazard class | WGK 1 (low hazardous to waters) |
|--------------------|---------------------------------|

|                                     |                                  |
|-------------------------------------|----------------------------------|
| Storage class according to TRGS 510 | LGK 12 (non-combustible liquids) |
|-------------------------------------|----------------------------------|

**Other regulations, restrictions and prohibition ordinances**

Not applicable.

**15.2 Chemical safety assessment**

This mixture was not subject to a safety assessment.

**SECTION 16 Other information**

**The wording of the classification codes of section 3**

|                         |                                       |  |
|-------------------------|---------------------------------------|--|
| Acute Tox. 2; H310      | Acute toxicity (dermal)               | Fatal in contact with skin                           |
| Acute Tox. 2; H330      | Acute toxicity (inhalative)           | Fatal if inhaled.                                    |
| Acute Tox. 3; H301      | Acute toxicity (oral)                 | Toxic if swallowed.                                  |
| Acute Tox. 3; H331      | Acute toxicity (inhalative)           | Toxic if inhaled.                                    |
| Acute Tox. 4; H302      | Acute toxicity (oral)                 | Harmful if swallowed.                                |
| Acute Tox. 4; H312      | Acute toxicity (dermal)               | Harmful in contact with skin.                        |
| Aquatic Acute 1; H400   | Hazardous to the aquatic environment  | Very toxic to aquatic life.                          |
| Aquatic Chronic 1; H410 | Hazardous to the aquatic environment  | Very toxic to aquatic life with long-lasting effects |
| Aquatic Chronic 2; H411 | Hazardous to the aquatic environment  | Toxic to aquatic life with long-lasting effects.     |
| Eye Dam. 1; H318        | Serious eye damage/<br>Eye irritation | Causes serious eye damage.                           |
| Eye Irrit. 2; H319      | Serious eye damage/<br>Eye irritation | Causes serious eye irritation.                       |
| Flam. Liq. 3; H226      | Flammable liquid                      | Flammable liquid and vapour.                         |
| Skin Corr. 1B; H314     | Skin corrosion/<br>irritation         | Causes severe skin burns and eye damage.             |
| Skin Irrit. 2; H315     | Skin corrosion/<br>irritation         | Causes skin irritation.                              |
| Skin Sens. 1; H317      | Skin sensitisation                    | May cause an allergic skin reaction.                 |

The classification codes only apply to the pure substances and do not declare necessarily the classification of the mixture. The classification and the labelling of the mixture are specified in section 2.

**Abbreviations**

|        |   |
|--------|---|
| (I)    | Substances for which the local effect determines the limit value or substances that sensitize the respiratory tract |
| (11)   | Sum of vapor and aerosols.  |
| ADR    | European Agreement concerning the International Carriage of Dangerous Goods by Road                                 |
| AGW    | Occupational exposure limit value.  |
| CAS    | Chemical Abstracts Service  |
| DFG    | German Research Council (Committee on Occupational Exposure Limits).  |
| DNEL   | Derived no-effect level   |
| EC20   | Concentration at which an effect can be observed in 20% of the test population.                                     |
| EC     | European Community  |
| EC-No. | Registration number of the "European Inventory of Existing Chemical Substances" (EINECS)                            |

|          |  |
|----------|--|
| ErC50    | average inhibitory concentration of the growth rate  |
| EU       | European Union.  |
| GHS      | Globally Harmonized System of Classification, Labelling and Packaging of Chemicals   |
| IATA     | International Air Transport Association  |
| IBC-Code | International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  |
| IMDG     | International Maritime Code for Dangerous Goods  |
| LC50     | Lethal concentration for 50% of a test population  |
| LD50     | Lethal dose for 50% of a test population (mean lethal dose)  |
| LGK      | Storage class.   |
| MAK      | Maximum workplace concentration  |
| MARPOL   | International Convention for the Prevention of Marine Pollution from Ships   |
| NO(A)EC  | No observed (adverse) effect concentration   |
| PBT      | Persistent, bioaccumulative and toxic.   |
| PNEC     | predicted no effect concentration  |
| REACH    | Regulation (EC) No. 1907/2006 of the European Parliament and of the Council regarding the registration, evaluation, authorisation and restriction of chemicals |
| RID      | Convention concerning International Carriage by Rail   |
| SCL      | Specific concentration limit   |
| STEL     | EU workplace limit values for a reference period of 15 minutes (Short-term exposure limit)   |
| TRGS     | Technical regulation for dangerous substances.   |
| TWA      | EU workplace limit values for a reference period of 8 hours (Time-weighted-average)  |
| UN       | United Nations   |
| vPvB     | Very persistent and very bioaccumulative.  |
| WGK      | Water hazard class.  |

### Additional information

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1.

It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.

We exclude each liability for damages, that can appear in improper intercourse or contact with these chemicals.

This security data sheet replaces all previous editions. Validly from edition date.

Date of last revision / Version: 02.06.2020 V-2020-001